

FIG. 1




FIG. 2




FIG. 3

DB  
↓

HWID NUMBER	HW000003	.....
HW TYPE	MAIN FRAME PERIPHERAL DEVICE	.....
HW NAME	TERMINAL CONTROLLER	.....
SERIAL NO.	23LD462	.....
PROJECT CODE	5YOJA	.....
MACHINE TYPE	...	.....
MACHINE MODEL	...	.....
HW MANAGEMENT NO.	4F408	.....
SITE	IBM-XX	.....
BUILDING CATEGORY	COMPUTER BUILDING	.....
FLOOR	4F	.....
X COORDINATE OF STARTING POINT	238	.....
Y COORDINATE OF STARTING POINT	162	.....
X COORDINATE OF ENDING POINT	364	.....
Y COORDINATE OF ENDING POINT	278	.....
COLOR	...	.....
CUSTOMER NAME	...	.....
ADDRESS	...	.....
OWNER CATEGORY	IBM PROPERTY	.....
MAINTENANCE TIME	10 TO 18	.....

FIG. 4





FIG. 5

(a)



(b)




FIG. 6

(a)

**PROTOTYPE I**  
THE OSIG SERVICES

→ HW Retrieval → Schedule

→ Layout → System

→ Contact

⇒ User Definition

S1

(b)

**HW Retrieval**

☒ Serial ☐ Customer ☐ HW Name  
☐ Machine Type ☐ HW Management No.

Serial # \_\_\_\_\_

Search for Layout Display **L1**

Search for List Display

Option Return

S3

(c)

**HW Retrieval Result**

Serial No.	Managment No.	Customer
97B2155	2F006	HGA INFRA/SHS
97B2299	2F007	HGA INFRA/SHS
97B2153	2F005	HGA INFRA/SHS
97B2101	2F001	HGA INFRA/SHS

**D1** ↓

Project CD 5Y1NJ

HW Name HGOFFICE07

Customer No. 993360

Retrieval Result: 10 Map Next Return

S4

(d)

**HW Retrieval Result**

Machine Type 6862

Serial No. 97B2101

Model B3J

Owner IBM

Category Property

Power Consumption 0

NFB # 1 NFB # 2

Site IBM-XX

Building Computer Building

Category Floor 2F

Before Return

S5

FIG. 7

(a)

**HW Retrieval**

☐ Serial   ☒ Customer   ☐ HW Name  
☐ Machine Type   ☐ HW Management No.

**Customer** ▼ HGA INFRA/SHS

**L2**

Search for  
Layout Display

Search for  
List Display

Option   Return

**S3**

(b)

**HW Retrieval Result**

Machine Type	Managment No.	Customer
9393	4F306	○ X △ COM
9392	4F302	○ X △ COM
9392	4F301	○ X △ COM
9390	4F301	○ X △ COM

**D1**

Project CD 5Y0JA

HW Name RVA

Customer No. 993387

Retrieval Result: 109   Map   Next   Return

**S4**

FIG. 8

IBM-XX Center												
<table border="1"><thead><tr><th>A-Management Building</th></tr></thead><tbody><tr><td>4F</td></tr><tr><td>3F</td></tr><tr><td>2F</td></tr><tr><td>1F</td></tr></tbody></table>	A-Management Building	4F	3F	2F	1F	<table border="1"><thead><tr><th>B-Computer Building</th></tr></thead><tbody><tr><td>5F</td></tr><tr><td>4F</td></tr><tr><td>3F</td></tr><tr><td>2F</td></tr><tr><td>1F</td></tr></tbody></table>	B-Computer Building	5F	4F	3F	2F	1F
A-Management Building												
4F												
3F												
2F												
1F												
B-Computer Building												
5F												
4F												
3F												
2F												
1F												
Retrieval Result: 17												
<input type="button" value="Return"/>												

S6



FIG. 9

HW Retrieval (Option)

☒ HW Management No. ☐ HW Name

Customer ▼ XXX COM

Machine Type 2

HW Management No. 4

Search for  
Layout Display

Search for  
List Display

Return

**L3** points to the Machine Type field.

**L4** points to the HW Management No. field.

**S7** points to the bottom of the dialog box.

FIG. 10




FIG. 11

Site for Reference Registration: IBM-XX (L5)

Building for Reference: Computer Building (L6)

Place for Reference: 4F (L7)

Decide (B1) Cancel (W1)

FIG. 12

① Read DB Current Coordinate

② Non-registered HW in Coordinate  
IBM-XX Computer Building 4F

Object to be registered: Machine

HWID: Nodata

HW TYPE: Nodata

HW NAME: Nodata

HW GROUP: Nodata

SERIAL NO: Nodata

PROJECT CD: Nodata

③ Color Selection ④ Registration Mode

Coordinate of Object

Starting Point: [ ][ ]

Ending Point: [ ][ ]

⑤ Registration ⑥ Write in DB

☐ Outer Wall

☐ Pillar

Magnification

- ☒ 100% (8 tiles per square)
- ☐ 200% (4 tiles per square)
- ☐ 400% (2 tiles per square)
- ☐ 800% (1 tile per square)

Mode

- ☒ Coordinate Registration
- ☐ Coordinate Change
- ☐ Coordinate Delete

W2 (left grid)

B1 (bottom)

B2 (top-right)

FIG. 13

(a)

① Read DB      Current Coordinate

② Non-registered HW in Coordinate  
IBM-XX Computer Building 4F

HW000001
HW000002
HW000003
HW000004
HW000005

Object to be registered  
Machine ▼

HWID	Nodata
HW TYPE	Nodata
HW NAME	Nodata
HW GROUP	Nodata
SERIAL NO	Nodata
PROJECT CD	Nodata

③ Color Selection      ④ Registration Mode

Coordinate of Object

Starting Point

Ending Point

⑤ Registration      ⑥ Write in DB

☐ Outer Wall

☐ Pillar

Magnification

☒ 100%  
(8 tiles per square)

☐ 200%  
(4 tiles per square)

☐ 400%  
(2 tiles per square)

☐ 800%  
(1 tile per square)

Mode

☒ Coordinate Registration

☐ Coordinate Change

☐ Coordinate Delete

(b)

② Non-registered HW in Coordinate  
IBM-XX Computer Building 4F

HW000001
HW000002
HW000003
HW000004
HW000005

Object to be Registered  
Machine ▼

FIG. 14

HWID	HW000003
HW TYPE	MAINFRAME Peripheral Device
HW NAME	Terminal Controller
HW GROUP	4F408
SERIAL NO	23DL462
PROJECT CD	5Y0JA

[illegible]

FIG. 16

(a)

① Read DB
Current Coordinate

② Non-registered HW in Coordinate
IBM-XX Computer Building 4F

HW000001
HW000002
HW000003
HW000004
HW000005

Object to be registered

Machine

HWID	HW000003
HW TYPE	MAINFRAME Periph. Device
HW NAME	Terminal Controller
HW GROUP	4F408
SERIAL NO	23LD462
PROJECT CD	5Y0JA

③ Color Selection
④ Registration Mode

Coordinate of Object

Starting Point

Ending Point

⑤ Registration

☐ Outer Wall  
☐ Pillar

⑥ Write in DB

Magnification

☒ 100%  
 (8 tiles per square)  
☐ 200%  
 (4 tiles per square)  
☐ 400%  
 (2 tiles per square)  
☐ 800%  
 (1 tile per square)

Mode  
☒ Coordinate Registration  
☐ Coordinate Change  
☐ Coordinate Delete

(b)

Coordinate of Object

Starting Point

238

162

Ending Point

364

278